

LISTING OF THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.


1. (Previously Presented) A wrinkle reducing composition, comprising:
 - (A) a wrinkle reducing active, comprising a nonionic polyhydric alcohol humectant and a water-soluble wetting agent selected from the group consisting of a cationic surfactant, a non-alkoxylated nonionic surfactant, and an anionic surfactant;
 - (B) at least one material selected from the group consisting of:
 - a salt having the formula: AM , wherein A is a cation selected from the group consisting of sodium, calcium, potassium, and magnesium, and M is an anion selected from the group consisting of sulfate, chloride, nitrate, carbonate, borate, and carboxylate;
 - uncomplexed cyclodextrin; and
 - a lubricant selected from the group consisting of a water-insoluble cationic softener, cyclomethicones, and fatty acid esters of mono- or polyhydric alcohols or anhydride thereof containing from 1 to 8 carbon atoms; and
 - (C) a liquid aqueous carrier.
22. (Previously Presented) A composition according to Claim 1, wherein said wetting agent is a cationic surfactant.
23. (Previously Presented) A composition according to Claim 2, wherein said wetting agent is a cationic surfactant, of formula:



wherein R^1 is C_{10} - C_{22} hydrocarbon group, or the corresponding ester linkage interrupted group with a C_1 - C_4 alkylene group between the ester linkage and the N, each R is a C_1 - C_4 alkyl or substituted alkyl, or hydrogen, and the counterion X^- is a softener compatible anion.

24. (Previously Presented) A composition according to Claim 1, wherein said cationic surfactant is a choline ester.

25. (Previously Presented) A composition according to Claim 24, is of formula:



wherein R_1 is a C_{10} - C_{22} , preferably a C_{12} - C_{14} linear or branched alkyl, alkenyl or alkaryl chain or M^- . $N^+(R_6R_7R_8)(CH_2)_s$; X and Y, independently, are selected from the group consisting of COO, OCO, O, CO, OCOO, CONH, NHCO, OCONH and NHCOO wherein at least one of X or Y is a COO, OCO, OCOO, OCONH or NHCOO group; R_2 , R_3 , R_4 , R_6 , R_7 , and R_8 are independently selected from the group consisting of alkyl, alkenyl, hydroxyalkyl and hydroxy-alkenyl groups having from 1 to 4 carbon atoms and alkaryl groups; and R_5 is independently H or a C_1 - C_3 alkyl group; wherein the values of m, n, s and t independently lie in the range of from 0 to 8, the value of b lies in the range from 0 to 20, and the values of a, u and v independently are either 0 or 1 with the proviso that at least one of u or v must be 1; and wherein M is a counter anion.

26. (Previously Presented) A composition according to Claim 1, wherein said wetting agent is an anionic surfactant.

27. (Previously Presented) A composition according to Claim 1, wherein said wetting agent is present in an amount of from 0.1 to 10% by weight of the composition.


28. (Previously Presented) A composition according to Claim 27, wherein said wetting agent is present in an amount of from 0.1 to 5% by weight of the composition.

29. (Previously Presented) A composition according to Claim 28, wherein said wetting agent is present in an amount of from 0.1 to 1.5% by weight of the composition.

30. (Previously Presented) A composition according to Claim 1, wherein the nonionic polyhydric compound is a polyol having from 2 to 8 hydroxy groups.
31. (Previously Presented) A composition according to Claim 30, wherein said nonionic polyhydric compound is selected from glycerol, ethylene glycol, propylene glycol, diethylene glycol, dipropylene glycol, sorbitol, erythritol or mixtures thereof.
32. (Previously Presented) A composition according to Claim 1, wherein the nonionic humectant is present in amount of from 0.1 to 10% by weight of the composition.
33. (Previously Presented) A composition according to Claim 32, wherein the nonionic humectant is present in amount of from 0.1 to 5% by weight of the composition.
34. (Previously Presented) A composition according to Claim 33, wherein the nonionic humectant is present in amount of from 0.1 to 1.5% by weight of the composition.
35. (Previously Presented) A composition according to Claim 1, wherein the water of the liquid aqueous carrier comprises from 50% to 95% by weight of the composition.
36. (Previously Presented) A composition according to Claim 35, wherein the water of the liquid aqueous carrier comprises from 60% to 97% by weight of the composition.
37. (Previously Presented) A composition according to Claim 36, wherein the water of the liquid aqueous carrier comprises from 70% to 99% by weight of the composition.
38. (Cancelled)
39. (Cancelled)
40. (Cancelled)

41. (Previously Presented) A composition according to Claim 1, wherein said composition further comprises an alkoxylated nonionic surfactant.
42. (Previously Presented) A composition according to claim 41, wherein said alkoxylated non-ionic surfactant comprises
- a polyalkyleneoxide polysiloxane surfactant,
 - a block copolymer of ethylene oxide and propylene oxide based on ethylene glycol, propylene glycol, glycerol, trimethylolpropane, or ethylenediamine, or mixtures thereof.
43. (Previously Presented) A composition according to Claim 1, wherein said composition has a fluid surface tension of from about 20 dynes/cm to about 55 dynes/cm.
44. (Previously Presented) A composition according to Claim 1, wherein said composition has a fluid viscosity of from about 1 cps to about 50 cps.
45. (Previously Presented) A method for reducing or removing wrinkles on fabrics which comprises the steps of contacting the fabrics with a composition according to Claim 1.
46. (Previously Presented) A method for reducing or removing wrinkles on fabrics and malodours on fabrics which comprises the steps of contacting the fabrics with a composition comprising
- A. a wrinkle reducing active, comprising a nonionic polyhydric alcohol humectant and a water-soluble wetting agent selected from a cationic surfactant, a non-alkoxylated nonionic surfactant and an anionic surfactant;
 - B. an uncomplexed cyclodextrin; and
 - C. a liquid aqueous carrier.

47. (Previously Presented) A method according Claim 45, wherein the composition is contacted with the fabrics by means of a spray dispenser.
48. (Previously Presented) A method according to Claim 45, wherein the fabrics are placed into a dewrinkling apparatus.
49. (Previously Presented) A method according to Claim 28, wherein the apparatus comprises spraying means capable of providing droplets with a mean diameter of 3 to 50 μm .
50. (Previously Presented) A packaged composition comprising the composition of Claim 1, in a spray dispenser.
51. (Previously Presented) A packaged composition according to Claim 50 or method according to Claim 47, wherein said spray dispenser comprises a trigger spray device and is capable of providing droplets with a weight average diameter of from 8 to 100 μm .
52. (Previously Presented) A method according to claim 47, wherein said spray dispenser comprises a trigger spray device and is capable of providing droplets with a weight average diameter of from 8 to 100 μm .
53. (Previously Presented) A wrinkle reducing composition, comprising:
- A. a wrinkle reducing active, comprising a nonionic polyhydric alcohol humectant and a water-soluble wetting agent selected from a cationic surfactant, a non-alkoxylated nonionic surfactant and an anionic surfactant; provided that when said water-soluble wetting agent is a cationic surfactant comprising a choline ester, said choline ester has the structure:



wherein R_1 is a C_{10} - C_{22} , preferably a C_{12} - C_{14} linear or branched alkyl, alkenyl or alkaryl chain or M^+ . $N^+(R_6R_7R_8)(CH_2)_5$; X and Y , independently, are selected from the group consisting of COO , OCO , O , CO , $OCOO$, $CONH$, $NHCO$, $OCONH$ and $NHCOO$ wherein at least one of X or Y is a COO , OCO , $OCOO$, $OCONH$ or $NHCOO$ group; R_2 , R_3 , R_4 , R_6 , R_7 , and R_8 are independently selected from the group consisting of alkyl, alkenyl, hydroxyalkyl and hydroxy-alkenyl groups having from 1 to 4 carbon atoms and alkaryl groups; and R_5 is independently H or a C_1 - C_3 alkyl group; wherein the values of m , n , s and t independently lie in the range of from 0 to 8, the value of b lies in the range from 0 to 20, and the values of a , u and v independently are either 0 or 1 with the proviso that at least one of u or v must be 1; and wherein M is a counter anion; and

B. a liquid aqueous carrier.

54. (Previously Presented) A composition according to Claim 53, wherein said composition further comprises a lubricant selected from a water-insoluble cationic softener, nonionic softener selected from cyclomethicones, fatty acid esters of mono- or polyhydric alcohols or anhydride thereof containing from 1 to 8 carbon atoms.

55. (Previously Presented) A composition according to Claim 53, wherein said composition further comprises a salt having the formula: AM , wherein A is a cation selected from the group consisting of sodium, calcium, potassium, and magnesium, and M is an anion selected from the group consisting of sulfate, chloride, nitrate, carbonate, borate, and carboxylate.

56. (Previously Presented) A composition according to Claim 53, wherein said composition further comprises an uncomplexed cyclodextrin.
57. (Previously Presented) A composition according to Claim 53, wherein said composition further comprises an alkoxylated nonionic surfactant.
58. (Previously Presented) A composition according to Claim 57, wherein said alkoxylated nonionic surfactant comprises a polyalkyleneoxide polysiloxane surfactant, a block copolymer of ethylene oxide and propylene oxide based on ethylene glycol, propylene glycol, glycerol, trimethylolpropane, or ethylenediamine, and mixtures thereof.
- 59;. (Previously Presented) A composition according to Claim 53, wherein the nonionic polyhydric compound is a polyol having from 2 to 8 hydroxy groups.
60. (Previously Presented) A composition according to Claim 53, wherein said nonionic polyhydric compound is selected from glycerol, ethylene glycol, propylene glycol, diethylene glycol, dipropylene glycol, sorbitol, erythritol or mixtures thereof.